



CATEGORY
**ELECTRICAL
BOXES**

AMMO ITEM #

AR224

Company: _____

Job: _____ #Item: _____

Notes: _____

4" Square Welded Boxes 1-1/2" Deep With Armored Cable / Metal Clad/Flex Clamps



APPLICATIONS

- Boxes are installed in walls or ceilings for lighting fixtures, switches or receptacles
- Square boxes are used where multiple conductor runs are split into two or more directions to bring power to a number of electrical devices

PRODUCT FEATURES

- Reference the Box Selection section in the front of this catalog for complete description of bracket types and features
- Combination screw heads provide for faster installation
- Material: Steel

COMPLIANCES

All single gang, two gang, 4 in. square, and single gang gangable UL listed steel boxes are acceptable for use in 2-hour fire rated walls.

FIRE RESISTANCE

Acceptable for use in 2-hour rated walls

GENERAL PRODUCT INFORMATION

Wiring System: Armored Cable/Metal Clad/
MC-A/Flex

CONFIGURATION

- Cable Priouts: _____ 4
- Bracket Type: _____ Fs. for Metal
or Wood Studs
- Bracket Setback: _____ Flush
- Drawn or Welded: _____ Welded
- Raised Ground: _____ No
- Side Knockout(s): _____ (2) 1/2in.&(1)
EKO
- Bottom Knockouts(s): _____ (1) 1/2 in

DRAWING DIMENSIONS



- Dimension A: _____ 1-1/2 in
- Dimension B : _____ 1-31/32 in
- Dimension C: _____ 6 in

PRODUCT MEASUREMENTS

- Depth: _____ 1-1/2 in
- Cubic Inches(cm3): _____ 21.0(344.1)
- Wt.Ea.(Lbs.): _____ 0.852
- Product Length (in.): _____ 1.56
- Product Width(in.): _____ 4.00
- Product Height (in.): _____ 6.00

PACKAGING

- PKG: _____ 24
- Product UPC-A Labeled: _____ No
- Weight (Lbs.Per/C): _____ 85.20
- Ship Carton Length (in.): _____ 11.13
- Ship Carton Width (in.): _____ 8.75
- Ship Carton Height (in.): _____ 10.63
- Ctn Weight (Lbs.): _____ 21.30
- Pallet Qty: _____ 2000
- UPC Number: _____ 837654061770



ELECTRICAL BOXES & COVERS



400 MARTIN LUTHER KING JR WAY, BRIDGETON, NJ 08302
PHONE : (718).338.1851 FAX : (718).228.1851
orders@ammoelectric.com

www.ammoelectric.com