



ammo 2025

SPRING STEEL FASTENERS

CATALOG



**PROVIDING AMMO
FOR ALL YOUR
ELECTRICAL NEEDS**



Extensive Inventory Selection

Explore a world of opportunities with our wide-ranging and diverse assortment of electrical supplies, catering to all your electrical requirements, ranging from fittings to various types of conduit pipes and accessories.

Streamlined Delivery Services:

We value your time and prioritize it. Our efficient shipping process guarantees your ordered items prompt and flawless arrival.

Customer Assistance:

Your satisfaction remains our utmost priority, and our dedicated customer support team embodies this dedication. Whether you have questions about product specifications or need guidance in selecting the ideal solutions for your project, our knowledgeable and friendly experts are here to assist you through the entire process. We don't just focus on products; we prioritize partnerships, ensuring that you make informed choices and achieve the most favorable results.

Affordable Pricing:

At AMMO Electric, we firmly believe that quality shouldn't be synonymous with high costs. We are dedicated to providing competitive pricing while upholding the highest standards of excellence. Our commitment to offering budget-friendly solutions enables you to successfully accomplish your projects without putting a strain on your budget.

Your Power Partner:


AMMO Electric's Resilient Service goes beyond mere product offerings; it's about forging lasting connections. We're not just providers; we're collaborative partners in your ventures, striving together to enhance your achievements. Join us in reshaping the standards of excellence in electrical supply, delivery, and customer assistance. Reach out to us today, and let's ignite the potential of your possibilities to amplify your success. Join us in redefining excellence in electrical supply, delivery, and customer support. Contact us today and let's power up your possibilities. today and let's power up your possibilities.

 718 338 1851

 info@ammoelectric.com

 www.ammoelectric.com

Cable & Conduit	06
Beams & Purlins	20
Acoustical	25
Hanging & Hanging Support	29
Datacomm	30
Stud & Drywall	34








Cable & Conduit

Flange Side Mount Conduit

Clip-Push In



AMMO#	FLANGE SIZE	CONDUIT SIZE	INNER	MASTER
A8P24SM	1/8" - 1/4"	1/2"	50	100
A8P58SM	5/16" - 1/2"	1/2"	50	100
A8P912SM	9/16" - 3/4"	1/2"	50	100
A12P24SM	1/8" - 1/4"	3/4"	50	100
A12P58SM	5/16" - 1/2"	3/4"	50	100
A12P912SM	9/16" - 3/4"	3/4"	50	100
A16P24SM	1/8" - 1/4"	1"	50	100
A16P58SM	5/16" - 1/2"	1"	50	100
A16P912SM	9/16" - 3/4"	1"	50	100




Flange Mount Conduit Clip Push-In



AMMO#	FLANGE SIZE	CONDUIT SIZE	INNER	MASTER
A8P24	1/8" - 1/4"	1/2"	50	100
A8P58	5/16" - 1/2"	1/2"	50	100
A8P912	9/16" - 3/4"	1/2"	50	100
A12P24	1/8" - 1/4"	3/4"	50	100
A12P58	5/16" - 1/2"	3/4"	50	100
A12P912	9/16" - 3/4"	3/4"	50	100
A16P24	1/8" - 1/4"	1"	50	100
A16P58	5/16" - 1/2"	1"	50	100
A16P912	9/16" - 3/4"	1"	50	100



Introducing our Conduit Flange Mount Clips: secure EMT and rigid conduit from beams with a 360° rotatable joint for flexible and efficient installations.



Hammer on Plain Threaded Rod Hangers 3/8" Rod



Innovative solutions for your project! This adjustable hanger suspends threaded rods from beams with just a hammer, allowing for a perfect vertical drop and swivel.

AMMO#	SIZE	PKG
A6A24	1/8"-1/4"	100
A6A912	9/16"-3/4"	100



Hammer on Plain Threaded Rod Hangers 1/4" Rod



Effortlessly support plain rods from beams with our flange clip—installation requires just a hammer! Simple, secure, and swift.

AMMO#	SIZE	PKG
A4TI24	1/8"-1/4"	100
A4TI58	5/16"-1/2"	100
A4TI912	9/16"-3/4"	100



Flange Mount Conduit Clip Sidemount



Easily mount EMT and rigid conduit with our snap-close clamps. Rotates 360° and installs with just a hammer!

AMMO#	FLANGE SIZE	CONDUIT SIZE	PKG
A6M24SM	1/8"-1/4"	3/8"	100
A6M58SM	5/16"-1/2"	3/8"	100
A6M912SM	9/16"-3/4"	3/8"	100
A812M24SM	1/8"-1/4"	1/2" - 3/4"	100
A812M58SM	5/16"-1/2"	1/2" - 3/4"	100
A812M912SM	9/16"-3/4"	1/2" - 3/4"	100
A16M24SM	1/8"-1/4"	1"	100
A16M58SM	5/16"-1/2"	1"	100
A16M912SM	9/16"-3/4"	1"	100
A20M24SM	1/8"-1/4"	1 1/4"	100
A20M58SM	5/16"-1/2"	1 1/4"	100
A20M912SM	9/16"-3/4"	1 1/4"	100
A24M24SM	1/8"-1/4"	1 1/2"	100
A24M58SM	5/16"-1/2"	1 1/2"	100
A24M912SM	9/16"-3/4"	1 1/2"	100
A32M24SM	1/8"-1/4"	2"	100
A32M58SM	5/16"-1/2"	2"	100
A32M912SM	9/16"-3/4"	2"	100



+718.338.1851



info@ammoelectric.com



www.ammoelectric.com

Flange Mount Conduit Clip



The 360° rotatable conduit flange mount clamps support EMT and rigid conduit from beams and need only a hammer for installation.

AMMO#	FLANGE SIZE	CONDUIT SIZE	INNER	MASTER
A6M24	1/8"-1/4"	3/8"	50	100
A6M58	5/16"-1/2"	3/8"	50	100
A6M912	9/16"-3/4"	3/8"	50	100
A812M24	1/8"-1/4"	1/2" - 3/4"	50	100
A812M58	5/16"-1/2"	1/2" - 3/4"	50	100
A812M912	9/16"-3/4"	1/2" - 3/4"	50	100
A16M24	1/8"-1/4"	1"	50	100
A16M58	5/16"-1/2"	1"	50	100
A16M912	9/16"-3/4"	1"	50	100
A20M24	1/8"-1/4"	1 1/4"	50	100
A20M58	5/16"-1/2"	1 1/4"	50	100
A20M912	9/16"-3/4"	1 1/4"	50	100
A24M24	1/8"-1/4"	1 1/2"	50	100
A24M58	5/16"-1/2"	1 1/2"	50	100
A24M912	9/16"-3/4"	1 1/2"	50	100
A32M24	1/8"-1/4"	2"	50	100
A32M58	5/16"-1/2"	2"	50	100
A32M912	9/16"-3/4"	2"	50	100



Conduit Hangers



AMMO#	CONDUIT SIZE	CABLE SIZE	WIRE SIZE	PKG
AKX	-	14-2 to 12-3	#12 - #10 - #9 - #8	100
AK8	1/2" EMT - 1/2" Rigid	12-3	#10 - #9 - #8	100
AK12	3/4" EMT - 1/2", 3/4" Rigid	-	#12 - #10 - #9 - #8	100
AK16	3/4", 1" EMT - 1/2", 3/4" Rigid	-	#8 - #9	100
AK20	1", 1 1/4" EMT - 3/4", 1" Rigid	-	#8 - #9	100





Conduit Clips



AMMO#	CONDUIT SIZE	HOLE	INNER	MASTER
A6M	3/8"	9/32" plain	-	100
A812M	1/2" - 3/4"	9/32" plain	-	100
A16M	1"	9/32" plain	-	100
A20M	1 1/4"	9/32" plain	-	100
A24M	1 1/2"	9/32" plain	-	100
A32M	2"	9/32" plain	-	100
A6M4I	3/8"	1/4" threaded impression	-	100
A812M4I	1/2" - 3/4"	1/4" threaded impression	-	100
A16M4I	1"	1/4" threaded impression	50	100
A20M4I	1 1/4"	1/4" threaded impression	50	100
A24M4I	1 1/2"	1/4" threaded impression	-	100
A32M4I	2"	1/4" threaded impression	-	100



Multi-Function Clip



AMMO#	CONDUIT SIZE	WIRE SIZE	ROD SIZE	INNER	MASTER
A4Z34	-	#12 - #8	1/4" - 3/8"	-	100
A4Z4S	-	#12 - #8	1/4" - 3/8"	-	100
A4Z348P	1/2" EMT	#12 - #8	1/4" - 3/8"	50	100
A4Z3412P	3/4" EMT - 1/2" Rigid	#12 - #8	1/4" - 3/8"	50	100
A4Z3416P	1" EMT - 3/4" Rigid	#12 - #8	1/4" - 3/8"	50	100
A6Z348P	1/2" EMT	-	3/8"	50	100
A6Z3412P	4" EMT, 1/2" Rigid	-	3/8"	50	100
A6Z3416P	1" EMT, 3/4" Rigid	-	3/8"	50	100
A4Z34812M	1/2", 3/4" EMT	#12	1/4"	50	100
A4Z3416M	1/2", 3/4" EMT	#12 - #8	1/4" - 3/8"	50	100
A4Z346M	-	#12 - #8	1/4" - 3/8"	50	100
A6Z34812M	1/2" EMT - 1/2" Rigid	-	3/8"	50	100
A6Z3416M	1" EMT	-	3/8"	50	100



- A4Z34812M
- A4Z3416M
- A4Z346M
- A6Z34812M
- A6Z3416M



- A4Z348P
- A4Z3412P
- A4Z3416P
- A6Z348P
- A6Z3412P
- A6Z3416P



- A4Z34



- A4Z4S




Conduit Hangers

Zinc Plated Steel



AMMO#	TRADE SIZE	BOLT SIZE	EMT	RIGID	PKG
ARCH-50	0	1/4" - 20	1/2"	3/8" - 1/2"	100
ARCH-75	1	1/4" - 20	3/4"	3/4"	100
ARCH-100	2	1/4" - 20	1"	1"	100
ARCH-125	3	1/4" - 20	1-1/4"	1-1/4"	100
ARCH-150	2-1/2	1/4" - 20	1-1/2"	-	100
ARCH-200	5	1/4" - 20	2"	2"	50
ARCH-250	6	5/16" - 18	2-1/2"	2-1/2"	50
ARCH-300	7	5/16" - 18	3"	3"	25
ARCH-350	8	5/16" - 18	3-1/2"	3-1/2"	25
ARCH-400	9	5/16" - 18	4"	4"	25



Ideal for wet or dry locations, these mounts securely suspend rigid/IMC and EMT conduit from ceilings and walls, indoors or outdoors, with an easy nut-and-bolt assembly.

Conduit Clips

9/32" Hole Plain



Align EMT and rigid conduit to electrical boxes with push-in clips, supporting vertical and horizontal installations.

AMMO#	CONDUIT SIZE	INNER	MASTER
A8P	1/2"	50	100
A12P	3/4"	50	100
A16P	1"	50	100



MC/AC Cable to Metal Stud




Quickly and easily attach MC/AC cables to metal studs with a tool-free, fast installation solution.

AMMO#	SIZE	PKG
A449	14-2 to 12-3 MC/AC	100
AMAC2	1/8" Max Flange 14-4 to 10-3 MC/AC	100



• A449



• AMAC2

Non-Metallic Sheathed Cable Clip



Securely supports non-metallic sheathed cable and ground wire to flanges.

AMMO#	SIZE	PKG
ARMX58	14-2, 12-2 NM, 0.28"-0.32" OD, 5/16"-1/2" Flange	100




Cable Snap Clips



Easily snap cable clips onto flanges for quick cable positioning; clip attaches to flange and cable fits securely into the clip.

AMMO#	SIZE	PKG
ASC2A	0.236" - 0.276"	100
ASC2B	0.315" - 0.354"	100
ASC2C	0.394" - 0.433"	100
ASC2D	0.472" - 0.551"	100
ASC2E	0.591" - 0.709"	100
ASC2F	0.748" - 0.945"	100
ASC2G	0.984" - 1.26"	100
ASC4A	0.236" - 0.276"	100
ASC4B	0.315" - 0.354"	100
ASC4C	0.394" - 0.433"	100
ASC4D	0.472" - 0.551"	100
ASC4E	0.591" - 0.709"	100
ASC4F	0.748" - 0.945"	100
ASC4G	0.984" - 1.26"	100



Cable/Conduit to Wire Clip



Support cable and conduit from drop wire effortlessly; ensures no bending and speeds up installation.

AMMO#	SIZE	PKG
APCS1	14-2 to 10-3 MC/AC, .45"-.6" OD, #8-#12 Wire	100



Combination Box Conduit Hangers



Installed to drop wire, drop rod or other structures to support boxes in the center and conduit on either side

AMMO#	SIZE	PKG
A6MB18A	3/8" Flex & Mc/Ac	25
A812MB18S	1/2" - 3/4"	25
A812MB18A	1/2" - 3/4"	25
A16MB18A	3/4" - 1"	25



Cable Hangers

AMMO#	SIZE	PKG
AMX3	Diameter 1-1/8"	100
AMX6	Diameter 1-3/4"	100



Miscellaneous



For pipe sizes 6" to 14" use 4H Hammer-On Flange Clip, Side Mount

AMMO#	SIZE	PKG
A740	1.06" x 1.26" x 0.59"	100



Beam & Purlins

Malleable Beam Clamps



Clamp onto structures for conduit hangers; rugged steel/iron with corrosion-resistant zinc plating.

AMMO#	THREAD HOLE	PKG
ARMBC-1024	10 - 24"	50
ARMBC-1420	1/4 - 20"	50
ARMBC-3816	3/8 - 16"	50
ARMBC-1213	1/2 - 13"	25




Steel Beam Clamp




Used to suspend or secure fixtures, wires, threaded rod and other hardware to beam flanges.

AMMO#	THREAD HOLE	PKG
ARBC002	10 - 24" & 1/4 - 20"	100
ARBC001	1/4 - 20"	100



"C" Purlin Clip Vertical

AMMO#	SIZE	PKG
AVF14	1/16" - 1/4"	100






Hammer on Flange Clip



AMMO#	SIZE	PKG
A2H4	3/32" - 9/64"	100
A4H24	1/8" - 1/4"	100
A4H58	5/16" - 1/2"	100
A4H912	9/16" - 3/4"	100



Hammer on Flange Clip Universal




AMMO#	SIZE	PKG
AM24	1/8" - 1/4"	100
AM58	5/16" - 1/2"	100
AM912	9/16" - 3/4"	100



Hammer on Flange Clip Universal with Stud



AMMO#	SIZE	PKG
AM24S	1/8" - 1/4"	100
AM58S	5/16" - 1/2"	100
AM912S	9/16" - 3/4"	100




"Z" Purlin Clips-Angular



Hang wires, chains, and hooks from angle purlins with ease; angle flange clip supports secure suspensions from Z purlins.

AMMO#	SIZE	PKG
AAF14	1/16" - 1/4"	100
AAF146TI	1/16" - 1/4"	100
AAF144TI	1/16" - 1/4"	100



"Z" Purlin Clips



Suspend rods securely with a hammer-on clip that conforms to purlin angles.

AMMO#	SIZE	INNER	MASTER
A123812M	for 1/2" to 3/4" EMT, .06 to .1" Flange	50	100
A122	1/4" Hole, 1/16" Max Flange	-	100
A1224TI	for 1/4" threaded rod, 1/16" to 1/4" Flange	50	100
A1226TI	for 3/8" threaded rod, 1/16" to 1/4" Flange	50	100




Acoustical Heavy Duty T-Grid Box Hanger Mounting Clip, Extension Bracket



Mount 2 1/8" or 1 1/2" deep boxes flush with tile on T-grid; adjustable, hand-installed, and supports multiple boxes with added stability.

AMMO#	SIZE	PKG
A512HDEEP	24"	25




Twist Clip With Wing Nut



Support electrical fixtures on T-Grids with easy, tool-free twist clips; fast, secure installation with included wing nut.

AMMO#	SIZE	PKG
A4G16	0.563" Screw	100




Twist Clip With 90°



Support wire, hooks, or chains from T-Grids with tool-free, twist-on clips for fast, secure installation.

AMMO#	SIZE	PKG
A4G16H	1/4" Plain Hole, 1/16" Max Flange, 15/16" T-Grid	100




Conduit to T-Grid Clip



Easily secure conduit or cables above T-Grids with tool-free clamps; side mount supports horizontal and vertical attachment.

AMMO#	SIZE	INNER	MASTER
A812MATA	0.709"-1.181"	50	100
A6MATA	0.551" Min, 0.709" Max, 0.552" Nom OD, 3/8" Flexible	50	100




Twist Clip With 90°



Push-in conduit hangers snap onto T-bar grids to support EMT conduit; tool-free, rotates for horizontal or vertical use.

AMMO#	SIZE	INNER	MASTER
A8PATS	1/2" EMT	50	100



T-Grid Clip, Side Mount



Threaded T-Grid Clips mount boxes, conduit, or bridle rings on T-Bar; threaded hole eliminates offset bending.

AMMO#	SIZE	INNER	MASTER
AATS4I	1/4" Hole	50	100



+718.338.1851



info@ammoelectric.com



www.ammoelectric.com




Independent Support Clip



Tool-free T-Grid clips support fixtures with ease; includes mounting hardware for independent fixture support.

AMMO#	SIZE	PKG
AIDS	15/16" T-Grid, 0.563" Screw, Washer - Wing nut	100



Rod & Wire Hangers



Mounts to wood or concrete to suspend threaded rods from horizontal structures; secure and versatile installation.

AMMO#	SIZE	PKG
A6TIB	1/4" Hole 1, 3/8" Hole 2	100
A4TIB	1/4" Hole 1, 1/4" Hole 2	100
A4TI	3/8" Hole 1, Threaded, 1/4" Hole 2	100
A6TI	3/8" Hole 1, Threaded, 1/4" Hole 2	100
A6T	3/8" Hole 1, Plain, 1/4" Hole 2	100



- A4TIB
- A6TIB



- A4TI
- A6T
- A6TI

Hanging & Support

Strap Hanger for "Z" Purlin Clip



Attach to beam flange to support pipes, ducts, or attachments with straps; secure support with banding or strapping.

AMMO#	SIZE	PKG
AMSS24	0.125" - 0.25"	100
AMSS58	0.3125" - 0.5"	100
AMSS912	0.5625" - 0.75"	100
AMSS122	2.49"	100
AMSR122	3.19"	100
AMSR24	0.125" - 0.25"	100
AMSR58	0.3125" - 0.5"	100



- AMSS24
- AMSS58
- AMSS912



- AMSS122
- AMSR122



- AMSR58
- AMSR24

Brackets



Attach rods, hooks, or chains to concrete or wood; features a 1/4" mounting hole for versatile support.

AMMO#	SIZE	PKG
AAB375	0.25" Hole 1, 0.375" Hole 2	100



Datacomm

J-Hooks



Wall mount J-Hooks support sensitive data cables without stress; cost-effective, wide base design with built-in retainer bar.

AMMO#	SIZE	PKG
ARJH001	3/4"	100
ARJH002	1" - 5/16"	100
ARJH003	2"	100
ARJH004	4"	100
ACAT124Z34	3/8" - 7/16"	100
ACAT126Z34	1/8" - 3/8"	100

- ARJH001
- ARJH002
- ARJH003
- ARJH004



- ACAT124Z34
- ACAT126Z34



Bridle Rings



Support low voltage cables with threaded bridle rings; versatile attachment to flange, purlin, drop wire, and T-grid.

AMMO#	SIZE	PKG
ARBR125	1/4-20" x 1-1/4"	100
ARBR150	1/4-20" x 1-1/2"	100
ARBR200	1/4-20" x 2"	100
ARBR400	1/4-20" x 4"	100
ARWBR75	0.75" dia, #10 screw	100
ARWBR125	14" x 1-1/4"	100
ARWBR150	14" x 1-1/2"	100
ARWBR200	14" x 2"	100
ARWBR400	14" x 4"	100



- ARBR125
- ARBR150
- ARBR200
- ARBR400



- ARWBR75
- ARWBR125
- ARWBR150
- ARWBR200
- ARWBR400


Hanging & Support

Bridle Ring Clip



Easily attach to flanges to anchor bridle rings and hardware; hammer installation, supports various threaded and unthreaded rings.


AMMO#	SIZE	PKG
A2FMP28	1/8"-1/2" Flange, 1/4", #10 Wire	100



Ceiling Box Support




AMMO#	SIZE	PKG
ARCBS	1" - 2"	50



Wire Basket Tray Clip



 Attach cable trays to struts with tray clips; use two clips per 12" basket, no tools or extra hardware needed.

AMMO#	SIZE	PKG
AKBT	3/16" - 5/16"	100



Stud & Drywall

Cable Support to Stud



AMMO#	SIZE	PKG
AFXC20	7/16" - 9/16"	100
ACS812D	1/2", 3/4" EMT, 2 1/8" box depth	100
ACS812	1/2", 3/4" EMT, 1 1/2" box depth	100
ACS16	1" EMT, 2 1/8" box depth	100



• AFXC20




• ACS812
• ACS812D
• ACS16

Snap on Nail Plate




AMMO#	SIZE	PKG
A304B2	3 1/8" X 1 1/2"	100




Conduit to Stud



AMMO#	SIZE	PKG
A6MF	3/8" Flexible, 14-2 TO 12-3 MC/AC	100
A16MF	1" EMT	100
A20MF	1 1/4" EMT	100
A812MF	0.709"-1.181"	100
A350812M	0.709"-1.181"	100



• A350812M





- A6MF
- A16MF
- A20MF
- A812MF

Stud Wall Cable Support



AMMO#	THICKNESS	INNER	MASTER
AMCJ6	0.03"	100	1000





SPRING STEEL FASTENERS

CONTACT US:

718 338 1851

info@ammoelectric.com

www.ammoelectric.com

1000 Commerce Center Dr

Elkton MD 21921

