

The logo for Ammos, featuring the word "ammos" in a bold, lowercase, rounded font. The letters are red with a thick red outline. The logo is centered at the top of the page, superimposed over a background of faint line drawings of electrical components.

ammos

The title "QUICK REFERENCE GUIDE RECEPTACLES" is written in a bold, red, sans-serif font. It is centered in the upper middle of the page, superimposed over a background of faint line drawings of various electrical receptacles.

**QUICK REFERENCE GUIDE
RECEPTACLES**

Duplex GFCI				Item Number	Finish	Amperage	Voltage	NEMA Rating	Tamper Resistant	Weather Proof
				15IV-ST	Ivory	15A	125V	5-15R	☒	☒
				15WH-ST	White	15A	125V	5-15R	☒	☒
				20IV-ST	Ivory	20A	125V	15-20R	☒	☒
				20WH-ST	White	20A	125V	5-20R	☒	☒
				TR-15IV-ST	Ivory	15A	125V	5-15R	☒	☒
				TR-15WH-ST	White	15A	125V	5-15R	☒	☒
				TR-20IV-ST	Ivory	20A	125V	5-20R	☒	☒
				TR-20WH-ST	White	20A	125V	5-20R	☒	☒
				TR-15WH-ST-RB	White	15A	125V	5-15R	☒	☒
				TRWR-1-IV-ST	Ivory	15A	125V	5-15R	☒	☒
				TRWR-1-W-ST	White	15A	125V	5-15R	☒	☒
				TRWR-2-IV-ST	Ivory	20A	125V	5-20R	☒	☒
				TRWR-2-W-ST	White	20A	125V	5-20R	☒	☒

Duplex USB (Dual Type A USB)				Item Number	Finish	Amperage	Voltage	NEMA Rating	Tamper Resistant	USB Rating
				TR-USB15-WH	White	15A	125V	5-15R	☒	5V 4.0A 20W
				TR-USB20-WH	White	20A	125V	5-20R	☒	5V 4.0A 20W

Single Receptacles				Item Number	Finish	Amperage	Voltage	NEMA Rating	Application
				SR120-IV	Ivory	20A	125V	5-20R	Small Appliances
				SR120-WH	White	20A	125V	5-20R	Small Appliances
				SR220-IV	Ivory	20A	125/250V	10-20R	Non-Grounded, Window AC and Heaters
				SR220-WH	White	20A	125/250V	10-20R	Non-Grounded, Window AC and Heaters
				SR115-IV	Ivory	15A	125V	5-15R	Small Appliances
				SR115-WH	White	15A	125V	5-15R	Small Appliances
				SR220R-IV	Ivory	20A	250V	6-20R	AC Units
				SR220R-WH	White	20A	250V	6-20R	AC Units

Duplex Receptacles				Item Number	Finish	Amperage	Voltage	NEMA Rating	Tamper Resistant	Self Grounding
				DRTR15-IV	Ivory	15A	125V	5-15R	☒	☒
				DRTR15-WH	White	15A	125V	5-15R	☒	☒
				DR15-IV	Ivory	15A	125V	5-15R	☒	☒
				DR15-WH	White	15A	125V	5-15R	☒	☒
				DR15-BK	Black	15A	125V	5-15R	☒	☒
				DRSG15-IV	Ivory	15A	125V	5-15R	☒	☒
				DRSG15-WH	White	15A	125V	5-15R	☒	☒
				DRSG20-IV	Ivory	20A	125V	5-20R	☒	☒
				DRSG20-WH	White	20A	125V	5-20R	☒	☒
				DRSG15-2-IV	Ivory	15A	250V	6-15R	☒	☒
				DRSG15-2-WH	White	15A	250V	6-15R	☒	☒
				DRSG20-2-IV	Ivory	20A	250V	6-20R	☒	☒
				DRSG20-2-WH	White	20A	250V	6-20R	☒	☒
				DRSGTR20-IV	Ivory	20A	125V	5-20R	☒	☒
				DRSGTR20-WH	White	20A	125V	5-20R	☒	☒

DUPLEX RECEPTACLES - DECORATOR STYLE



DDR15-WH



NEMA
5-15R



NEMA
5-20R

- Smooth face
- Back and side wire
- Residential and Commercial grade



Tamper
Resistant

Item Number	Finish	Amperage	Voltage	NEMA Rating	Tamper Resistant	Self Grounding
DDR15-IV	Ivory	15A	125V	5-15R	☒	☒
DDR15-WH	White	15A	125V	5-15R	☒	☒
DDRTR15-IV	Ivory	15A	125V	5-15R	☒	☒
DDRTR15-WH	White	15A	125V	5-15R	☒	☒
DDTSGTR20-IV	Ivory	20A	125V	5-20R	☒	☒
DDTSGTR20-WH	White	20A	125V	5-20R	☒	☒

DUPLEX RECEPTACLES - HOSPITAL GRADE



TR20-DHG-WH



NEMA
5-15R



NEMA
5-20R

- Smooth face
- Back and side wire
- Heavy Duty plated Contacts
- High Cycle Endurance



Tamper
Resistant

Item Number	Finish	Amperage	Voltage	NEMA Rating	Tamper Resistant	Hospital Grade
TR20-DHG-WH	White	20A	125V	5-20R	☒	☒
TR15-DHG-WH	White	15A	125V	5-15R	☒	☒

FLUSH MOUNT POWER OUTLETS



502P3WF



503P4WSF



302P3WSF



503P3WSFM



503P3WSF



NEMA
6-50R



NEMA
14-50R



NEMA
6-30R



NEMA
10-50R



NEMA
10-50R



Item Number	Application	Amperage	Voltage	NEMA Rating
502P3WF	Ranges / Dryers	50A	250V	6-50R
503P4WSF	EV Charging / RVs / Ranges	50A	125/250V	14-50R
302P3WSF	Ranges / HVAC / Industrial Equipment	30A	250V	6-30R
503P3WSFM	Non-Grounded Appliances	50A	125/250V	10-50R
503P3WSF	Non-Grounded Appliances	50A	125/250V	10-50R

SURFACE MOUNT POWER OUTLETS



RSS50-BK



303P3W



503P4W



302P3W



502P3W



NEMA
10-50R



NEMA
10-30R



NEMA
14-50R



NEMA
6-30R



NEMA
6-50R



Item Number	Application	Amperage	Voltage	NEMA Rating
RSS50-BK	Non-Grounded Appliances	50A	125/250V	10-50R
303P3W	Non-Grounded Appliances	30A	125/250V	10-30R
503P4W	EV Charging / RVs / Ranges	50A	125/250V	14-50R
302P3W	Ranges / HVAC / Industrial Equipment	30A	250V	6-30R
502P3W	Ranges / Dryers	50A	250V	6-50R



QUICK REFERENCE GUIDE RECEPTACLES

AmmoElectric.com | 718.338.1851 | Info@AmmoElectric.com